

# bar assistant

vor dem Ausrollen müssen noch folgende Volumes erstellt werde

bar-assistant bar-assistant-redis bar-assistant-meilisearch

sowie folgendes Netzwerk bar-assistant

```
version: "3"
```

```
services:
```

```
  meilisearch:
```

```
    container_name: meilisearch
```

```
    hostname: meilisearch
```

```
    image: getmeili/meilisearch:v1.1
```

```
    restart: unless-stopped
```

```
    networks:
```

```
      - bar-assistant
```

```
  volumes:
```

```
    - bar-assistant-meilisearch:/meili_data
```

```
  environment:
```

```
    - MEILI_MASTER_KEY=super-secret-password#### # password anpassen
```

```
    - MEILI_ENV=production
```

```
  redis:
```

```
    container_name: redis
```

```
    hostname: redis
```

```
    image: redis
```

```
    restart: unless-stopped
```

```
    networks:
```

```
      - bar-assistant
```

```
  volumes:
```

```
    - bar-assistant-redis:/data
```

```
  environment:
```

```
    - ALLOW_EMPTY_PASSWORD=yes
```

```
  bar-assistant:
```

```
    container_name: bar-assistant
```

```
hostname: bar-assistant
image: barassistant/server:latest
restart: unless-stopped
networks:
  - bar-assistant
volumes:
  - bar-assistant:/var/www/cocktails/storage/bar-assistant
depends_on:
  - meilisearch
  - redis
environment:
  - APP_URL=https://minibar.your-url.de/bar[ ]# url anpassen
  - LOG_CHANNEL=stderr
  - MEILISEARCH_KEY=super-secret-password[ ]# password anpassen
  - MEILISEARCH_HOST=http://meilisearch:7700
  - REDIS_HOST=redis
  - ALLOW_REGISTRATION=true
```

salt-rim:

```
container_name: salt-rim
hostname: salt-rim
image: barassistant/salt-rim:latest
restart: unless-stopped
networks:
  - bar-assistant
depends_on:
  - bar-assistant
environment:
  - API_URL=https://minibar.your-url.de/bar[ ]# url anpassen
  - MEILISEARCH_URL=https://minibar.your-url.de/search [ ]# url anpassen
  - DEFAULT_LOCALE=en-US
#   - BAR_NAME=
#   - DESCRIPTION=
```

webserver:

```
container_name: webserver
hostname: webserver
image: nginx:alpine
restart: unless-stopped
networks:
```

- bar-assistant

ports:

- 3000:3000

volumes:

- /home/your-user-folder/bar-assistant/nginx.conf:/etc/nginx/conf.d/default.conf # pfad anpassen

networks:

bar-assistant:

external: true

volumes:

bar-assistant:

external: true

bar-assistant-redis:

external: true

bar-assistant-meilisearch:

external: true

/home/your-user-folder/bar-assistant/nginx.conf

```
server {  
    listen 3000 default_server;  
    listen [::]:3000 default_server;  
    server_name _;  
  
    location = /favicon.ico { access_log off; log_not_found off; }  
    location = /robots.txt  { access_log off; log_not_found off; }  
  
    client_max_body_size 100M;  
  
    location /bar/ {  
        proxy_pass http://bar-assistant:3000/;  
    }  
  
    location /search/ {  
        proxy_pass http://meilisearch:7700/;  
    }  
  
    location / {  
        proxy_pass http://salt-rim:8080/;  
    }  
}
```

}

Revision #2

Created 25 May 2023 16:11:14 by Remo

Updated 25 May 2023 17:49:52 by Remo